


### 8. NiAs-Phasen und Varianten (A2-B2-Systeme)



	Ge		Sn		As		Sb		Bi	Se		Te	
	A <sub>2</sub> B	AB	A <sub>2</sub> B	AB	AB	AB <sub>2</sub>	AB	AB <sub>2</sub>	AB	AB	AB <sub>2</sub>	AB	AB <sub>2</sub>
Ti	-	-	-	-	-	-	-	-	-	-	□	-	□
V	-	-	-	-	-	-	-	-	-	●	□	●	-
Cr	-	-	-	-	●	-	●	-	-	●	-	●	-
Mo	-	-	-	-	-	-	-	-	-	-	M	M	M
W	-	-	-	-	-	-	-	-	-	-	M	M	M
Mn	○	-	○	-	●	-	●	-	●	-	-	●	◊
Fe	○	-	-	●	●	-	●	-	-	●	-	●	-
Co	○	-	-	●	●	-	●	-	-	●	◊	●	□
Ni	○	●	-	●	●	-	●	-	●	●	◊	●	□
Ru	-	-	-	-	-	-	-	-	-	-	◊	-	◊
Pd	-	●	-	●	-	◊	●	◊	-	-	-	●	□
Os	-	-	-	-	-	-	-	-	-	-	◊	-	◊
Pt	-	●	-	●	-	◊	●	◊	●	-	□	●	□
Cu	-	-	-	●	-	-	-	-	-	-	-	-	-
Au	-	-	-	●	-	-	-	◊	-	-	-	-	-

#### 7.1. NiAs


NiAs-Struktur (NiAs<sub>6</sub>: Oktaeder)

B-Element	EN	Bereich der c/a-Verhältnisse
S	2.5	1.54 - 1.75
Se	2.4	1.46 - 1.74
Te	2.1	1.37 - 1.66
As	2.0	1.39 - 1.53
Sb	1.9	1.25 - 1.40
Bi	1.9	1.31 - 1.42
Ge	1.8	1.25 - 1.27
Sn	1.8	1.21 - 1.40

#### 7.2. Varianten des NiAs-Typs (CdI<sub>2</sub> und Ni<sub>2</sub>Ge)


CdI<sub>2</sub>-Struktur (CdI<sub>6</sub>: Oktaeder)Ni<sub>2</sub>Ge-Struktur (NiGe<sub>6</sub>: Oktaeder; NiGe<sub>5</sub>: trigonale Bipyramiden)

#### 7.3. Pyrit-Typ



Pyrit-Struktur

#### 7.4. MoS<sub>2</sub>-Typ

MoS<sub>2</sub>-Struktur (MoS<sub>6</sub>: trigonale Prismae)